

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C07H 21/04, C12P 19/34, C12Q 1/68		A1	(11) International Publication Number: WO 99/38883 (43) International Publication Date: 5 August 1999 (05.08.99)
(21) International Application Number: PCT/US99/02387 (22) International Filing Date: 3 February 1999 (03.02.99) (30) Priority Data: 60/073,863 3 February 1998 (03.02.98) US (63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application US 60/073,863 (CIP) Filed on 9 February 1998 (09.02.98) (71) Applicant (for all designated States except US): XY, INC. [US/US]; ARBL Building, 3801 Rampart, Fort Collins, CO 80523-1683 (US). (72) Inventor; and (75) Inventor/Applicant (for US only): DEAN, Alan, D. [US/US]; 2616 Greenmont Drive, Fort Collins, CO 80524 (US). (74) Agent: SANTANGELO, Luke; Santangelo Law Offices, P.C., 3rd floor, 125 South Howes, Fort Collins, CO 80521 (US).			(81) Designated States: US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published With international search report.

(54) Title: SPECIFIC OLIGONUCLEOTIDE PRIMERS FOR DETECTION OF BOVINE MALE CHROMOSOME PRESENCE BY POLYMERASE CHAIN REACTION AND METHOD

(57) Abstract

This invention is a specific set of oligonucleotide Polymerase chain reaction (PCR) primers [5' -GTGATCCGGCATATAGCT-GAGA-3' (SEQ ID No. 1) and 5' -TGGTCGCTGATCAGGATGGAA- 3' (SEQ ID No. 2)] for specific polymerase chain reaction (PCR) amplification of a region of the bovine male-specific chromosome sequence.



1 2 3 4 5 6 7 8 9 10 11 12

SPECIFIC OLIGONUCLEOTIDE PRIMERS FOR DETECTION OF BOVINE MALE CHROMOSOME PRESENCE BY POLYMERASE CHAIN REACTION AND METHOD

I. TECHNICAL FIELD

This invention relates to a specific set of primers for uniquely determining the presence
5 of bovine Y chromosome. Specifically, it includes unique primers for the amplification by a
polymerase chain reaction (PCR) methodology of a specific bovine Y chromosome sequence.
This invention also relates to a method for detection of the presence of a bovine male
chromosome sequence using specific oligonucleotide primers for amplification of the male
chromosome sequence by polymerase chain reaction.

10 II. BACKGROUND

The methodology of polymerase chain reaction (PCR) was invented by Kary Mullis in
the mid-1980s and has revolutionized molecular genetics by making possible a whole new
approach to the study and analysis of genes. The methodology has become well known since it
was invented. PCR allows amplification of a preselected region of DNA and can serve as a
15 highly specific and sensitive detection method (K. B. Mullis and F. A. Faloona, Methods
Enzymol. 155:335-350, 1987). Some specific PCR methods have been patented in such patents
as U.S. Patent No. 4,683,195 and No. 4,683,202 to Mullis, et al. which are hereby incorporated
by reference.

The PCR has also been used for the identification of organisms in complex substrates and
20 to the detection of infectious agents (D. M. Olive, J. Clin. Microbiol. 27: 261-265; B. I.
Eisenstein, New Engl. J. Med. 322: 178-183, 1990). Some specific oligonucleotide primers have
been developed for detection of pathogenic bacteria by PCR (US patent No. 5,494,795).
Because of its efficiency and specificity, PCR techniques have been applied extensively to every
field in which the molecular techniques are employed and to the detection of presence of a
25 specific gene or a portion of the gene of interest.

Efforts of use of PCR have also been made in the meat and dairy industry. It is

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

practically important to recognize the gender in some applications by detecting the presence of the unique Y chromosome in male cells or tissues. The identification of the presence of any portion of a male chromosome can be important for a number of reasons. One of the reasons is the identification of tissues or meat by gender after the tissues have been removed from the animal and disbursed through marketing channels. By identifying for instance the gender (bull or cow in this case), a determination of proper purchases, representations, and quality of the tissues may be made. Therefore, efforts of designing appropriate primers have been undertaken and a pair of primers specifically identifying a portion of bovine Y chromosome has been successfully designed by the present inventor. Several aspects of the general bovine sequence had been previously identified prior to the present invention. However, among the aspects unique to this invention are the particular and specific primers complementary to the particular sequence of the bovine male chromosome. Despite attempts by others in the art to test or probe for the Y chromosomes, apparently it escaped those in the field to create such primers uniquely designed to amplify the specific region of the sequence on the Y chromosome to indicate the gender. While other primers may exist in the marketplace, these primers are unique. By simply using these primers on the tissues, a ready identification of the gender may be made. The prior references do not teach effective or suitable primers to the extent now shown.

III. DISCLOSURE OF THE INVENTION

Accordingly, an object of this invention is a set of oligonucleotide primers [sequence 5'-GTGATCCGGCATATAGCTGAGA - 3' (SEQ ID No.1)] and [sequence 5' - TGGTCGCTGATCAGGATGGAA- 3' (SEQ ID No. 2)] for PCR amplification of a portion of bovine Y chromosome DNA sequence.

An additional object of this invention is the demonstration of the specificity of the above oligonucleotide primers for use in detecting the presence of a portion of bovine Y chromosome DNA sequence. This demonstration is specific only to a region of the Y chromosome sequences in bulls but not specific to other chromosome DNA sequences in bulls and chromosome sequences in cows.

These and additional objects of the invention are accomplished by application of

standard PCR methodology employing the oligonucleotide primers [5'-GTGATCCGGCATATAGCTGAGA - 3' (SEQ ID No.1) and 5' - TGGTCGCTGATCAGGATGGAA- 3' (SEQ ID No. 2)] to amplify a portion of the bovine Y chromosome DNA sequence. The bovine species used in this invention in particular is Bos taurus but these primers might be used in other bovine species and, to some extent, even in species other than bovines.

IV. BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows the electrophoretic results of the amplification products obtained using Y-specific primers.

Figure 2 shows the electrophoretic results of the amplification products obtained using primers specific for the bovine prion gene as a control.

V. SEQUENCE LISTING FREE TEXT

1. The first nucleotide sequence is a forward primer 5' - GTGATCCGGCATATAGCTGAGA - 3' (SEQ ID No.1).
2. The second nucleotide sequence is a reverse primer 5' - TGGTCGCTGATCAGGATGGAA - 3' (SEQ ID No. 2).

VI. BEST MODE FOR CARRYING OUT THE INVENTION

As can be easily understood, the basic concepts of the present invention may be embodied in a variety of ways. It involves techniques as well as devices to accomplish the appropriate invention. In this application, the techniques are disclosed as part of the results shown to be

achieved by the various sequences described and as steps which are inherent to utilization. They are simply the natural result of utilizing the sequences as intended and described. In addition, while the sequences are disclosed, it would be understood that these not only accomplish certain methods but also can be varied in a number of ways. Importantly, as to all of the foregoing, all
5 of these facets should be understood to be encompassed by this disclosure.

In the preferred embodiment, the present invention uses PCR technique to amplify a portion of a particular bovine sequence. This sequence may be a portion the Bos taurus testis-specific protein, Y-encoded (TSPY) gene. However, other sequences than bovine sequences might be identified using these primers, and so the invention may not be restricted to just bovine
10 sequences. This invention has uniquely identified two primers that are complementary to this bovine sequence found only in the Y chromosome, the Bos taurus TSPY gene. While other sequences have been used to identify other aspects of the Y chromosome, apparently these primers are uniquely designed to identify this portion of the Y chromosome.

The preferred embodiment of this invention is a specific set of oligonucleotide
15 primers ([SEQ. ID No. 1] and [SEQ. ID No. 2]) for PCR amplification of a specific region of the bovine Y chromosome DNA sequence. Any oligonucleotide probe may be used that is internal to the sequence amplified by the PCR primers ([SEQ. ID No. 1] and [SEQ. ID No. 2]). The label can be any one of the art recognized labels commonly used in DNA blotting.

Two oligonucleotides, [5'-GTGATCCGGCATATAGCTGAGA - 3' (SEQ ID No.1) and
20 5' -TGGTCGCTGATCAGGATGGAA- 3' (SEQ ID No. 2)], have been designed based on the DNA

sequence data of the bovine TSPY gene from GenBank. These two oligonucleotides function as specific primers for PCR amplification of the portion of the bovine TSPY gene. The PCR was performed following the protocol as disclosed herein in examples below. The results are
25 described in detail below by the inventor.

Having described the invention in brief, the following examples are given to illustrate specific applications of the invention. These specific examples are not intended to limit the

scope of the invention described in this application.

VII. EXAMPLES

5 The following were the amplification protocol, including the primer sequences, the reagents and the results.

1. PCR Amplification

The reagents used in this invention were listed as follows:

Molecular grade water (Sigma W-3500);
dNTPs (10 mM mix of each deoxyribonucleoside-triphosphates);
10 Taq DNA polymerase (5U/ μ l: Sigma D-1806. 10X reaction buffer is included);
10X reaction buffer (100 mM Tris-HCl, pH 8.3, 500 mM KCl, 15 mM MgCl₂);
Forward primer (100 ng/ μ l) 5'-GTG ATC CGG CAT ATA GCT GAG A-3';
Reverse primer (100 ng/ μ l) 5'-TGG TCG CTG ATC AGG ATG GAA-3'; and
Bovine Test DNA (10-50 ng/reaction).
15 Master mix for 50 μ l reaction was prepared following the following recipe:

	<u>Reagents</u>	<u>Volume (μl)</u>
	Water	38.75
	10X Buffer	5
20	dNTPs	1
	Forward primer	2
	Reverse primer	2
	Taq polymerase	0.25
	Bovine Test DNA	1

25 The amplification reaction parameters for the amplification cycles were denaturation for

1 min at 94 degree(s) C., annealing of primers for 1 min at 56 degree(s) C, and primer extension for 3 seconds at 72 degree(s) C. The thermocycler parameter settings were as follows:

<u>Step</u>	<u>Temperature</u>	<u>Time</u>
1	94°C	30 seconds
2	94°C	30 seconds
3	56°C	30 seconds
4	72°C	30 seconds (Repeat steps 2-4 for 30 cycles)
5	72°C	5 minutes
6	4 °C	Soak

2. Demonstration of Specificity

Both the forward (SEQ ID NO.1) and reverse primers (SEQ ID NO. 2) were evaluated for their ability to amplify a portion of Y chromosome sequence. With a bull or steer DNA a 488 base pair product was amplified. The primers generated the appropriately-sized fragments from DNA preparations from blood samples of bulls when compared to the known standard DNA from bulls. The fact that the primers did not generate a detectable PCR product with DNA from cows suggests that the primers are Y-chromosome sequence specific.

The above example, incorporated as if fully set forth here in text, shows the procedure and results such that one with ordinary skill in the art could duplicate the efforts to produce the specific primers. As shown, the forward primer (SEQ NO. 1) is 5'-GTG ATC CGG CAT ATA GCT GAG A-3' and the reverse primer (SEQ NO. 2) is 5'-TGG TCG CTG ATC AGG ATG GAA-3'. Naturally, these primers may be varied in length or other alterations as long as the functional aspects were retained to hybridize with and to amplify the TSPY gene to indicate gender. This could include from 8-20 nucleotides of the sequences. These primers amplify using the PCR method approximately 488 base pair product of the Y chromosome. Naturally, as those with ordinary skill in the art would understand, the above primer sequences could vary to some degree such that the functional derivative would still be specific for a portion of the Y chromosome. Additionally, while specific reagents and buffers are described and while proportions are disclosed, a variety of buffers and reagents and varying proportions could be used

in conjunction with the specific primers of SEQ ID NO.1 and SEQ ID NO.2. Thus, for example any buffering means or any buffering proportions which produce similar or acceptable results in conjunction with SEQ ID NO.1 and SEQ ID NO.2 to identify a specific region of the Y chromosome should be considered included in this invention. Similarly, any reagent means or
5 any reagent proportions which produce similar or acceptable results in conjunction with SEQ ID NO.1 and SEQ ID NO.2 to identify a specific region of the Y chromosome should be considered included in this invention. Other parameters, such as the parameters of the thermocycler or other similar devices, could be varied to accomplish the goals and purposes of the invention.

The present invention is also directed to a kit or reagent system useful for practicing the
10 methods described herein. Such a kit will contain a reagent combination comprising the essential elements required to conduct an assay according to the methods disclosed herein. The reagent system is presented in a commercially packaged form, as a composition or admixture where the compatibility of the reagents will allow, in a test device configuration, or more typically as a test kit, *i.e.*, a packaged combination of one or more containers, devices, or the like
15 holding the necessary reagents, and usually including written instructions for the performance of assays. The kit of the present invention may include any configurations and compositions for performing the various assay formats described herein.

In all cases, the reagent system will comprise a pair of oligonucleotide primers that flank the DNA sequence of interest which is to be amplified and detected, as described herein.
20 Preferably, those primers are (1) SEQ ID NO:1 and (2) SEQ ID NO:2 and they may be detectably labeled. Preferably, the kit will also contain additional reagents useful in carrying out a PCR amplification. A kit according to the present invention can additionally include ancillary chemicals such as the buffers and components of the solution in which binding of the oligonucleotide to the target DNA takes place.

25 Obviously, many modifications and variations of the present invention are possible in light of the above teachings. It is therefore to be understood that, within the scope of the appended claims, the invention may be practiced otherwise than as specifically described.

The discussion included in this application is intended to serve as a basic description. The reader should be aware that the specific discussion may not explicitly describe all embodiments possible; many alternatives are implicit. The market place and manufacturing concerns may dictate the appropriate embodiments for the present invention. Particularly with respect to the discussion, it should be understood that a number of changes may be made without departing from the essence of the present invention. In this regard, it is intended that such changes — to the extent that they substantially achieve the same results in substantially the same way — will still fall within the scope of the present invention. It also may not fully explain the generic nature of the invention and may not explicitly show how each feature or element can actually be representative of a broader function or of a great variety of alternative or equivalent elements. Again, these are implicitly included in this disclosure. Where the invention is described in sequence-oriented terminology, each element of the sequence implicitly performs a function. Sequence discussions or claims may not only be included for the sequence described, but also method or process claims may be included to address the functions the invention and each element performs. Although the methods related to the system are being included in various detail, only an initial discussion directed toward the sequences have been included. Naturally, that discussion could have some application to the various other methods and aspects discussed throughout the disclosure. Neither the description nor the terminology is intended to limit the scope of the claims which will be included in a full patent application.

It should be understood that a variety of changes may be made without departing from the essence of the invention. Such changes are also implicitly included in the description. They still fall within the scope of this invention. A broad disclosure encompassing both the explicit embodiment(s) shown, the great variety of implicit alternative embodiments, and the broad methods or processes and the like are encompassed by this disclosure.

Each of the various elements of the invention and claims may also be achieved in a variety of manners. This disclosure should be understood to encompass each such variation, be it a functional derivative, such as under high stringency, a method or process embodiment of the sequences, or even merely a variation of any element of these. Particularly, it should be understood that as the disclosure relates to elements of the invention, the words for each element

may be expressed by equivalent terms or method terms — even if only the function or result is the same. Such equivalent, broader, or even more generic terms should be considered to be encompassed in the description of each element or action. Such terms can be substituted where desired to make explicit the implicitly broad coverage to which this invention is entitled. As but
5 one example, it should be understood that all action may be expressed as a means for taking that action or as an element which causes that action. Similarly, each physical element or compositions disclosed should be understood to encompass a disclosure of the action which that physical element or composition facilitates. Regarding this last aspect, the disclosure of a “buffer” should be understood to encompass disclosure of the act of “buffering” — whether
10 explicitly discussed or not — and, conversely, were there only disclosure of the act of “buffering”, such a disclosure should be understood to encompass disclosure of a “buffer.” Such changes and alternative terms are to be understood to be explicitly included in the description.

In addition, it should be understood that, in the claims and in the application, the term “comprising” is meant to have an inclusive meaning rather than an exclusive one. It should be
15 interpreted in its most expansive form so as to afford the applicant the broadest coverage legally permissible. Therefore, in countries, such as Australia, this term is not intended to have an exclusive, or more limited, meaning.

Any references mentioned in the application for this patent are hereby incorporated by reference, however, to the extent statements might be considered inconsistent with the patenting
20 of this invention such statements are expressly not to be considered as made by the applicant.

VIII. CLAIMS

I claim:

1. A molecule which is a functional derivative of molecules having a sequence selected from the group comprising the sequences 5'-GTGATCCGGCATATAGCTGAGA-3' (SEQ ID NO:1) and 5'-TGGTCGCTGATCAGGATGGAA-3' (SEQ ID NO:2), and which, in the presence of at least some bovine male chromosomal material from a sample, said functional derivative facilitates the priming of a chain reaction of repetitive reproduction of at least a portion of said bovine genetic material, and which facilitates an indication of the gender of the animal from which said sample was obtained.
2. A molecule according to claim 1 wherein said bovine genetic material comprises at least a portion of the bovine Y chromosome DNA sequence.
3. A molecule according to claim 2 wherein said at least a portion of the bovine Y chromosome DNA sequence comprises at least a portion of the bovine TSPY gene.
4. A molecule according to claim 1 wherein said functional derivative further facilitates the repetitive reproduction of a portion of said bovine genetic material which is approximately 488 base pairs long.
5. A molecule according to claim 1 wherein said molecule comprises DNA material.
6. A molecule according to claim 1 wherein said molecule comprises an oligonucleotide.
7. A molecule according to claim 1 wherein said molecule comprises a polymerase chain reaction primer.
8. A molecule according to claim 1, 2, 5, 6, or 7 wherein a complementary sequence of said molecule hybridizes with molecules having a sequence selected from the group

comprising the sequences 5'-GTGATCCGGCATATAGCTGAGA-3' (SEQ ID NO:1) and 5'-TGGTCGCTGATCAGGATGGAA-3' (SEQ ID NO:2).

9. A molecule according to claim 8 wherein said complementary sequence of said molecule hybridizes under high stringency conditions with molecules having a sequence selected from the group comprising the sequences 5'-GTGATCCGGCATATAGCTGAGA-3' (SEQ ID NO:1) and 5'-TGGTCGCTGATCAGGATGGAA-3' (SEQ ID NO:2).
10. A molecule according to claim 1, 2, 5, 6, or 7 wherein said molecule comprises a sequence selected from the group comprising the sequences 5'-GTGATCCGGCATATAGCTGAGA-3' (SEQ ID NO:1) and 5'-TGGTCGCTGATCAGGATGGAA-3' (SEQ ID NO:2).
11. A molecule selected from the group comprising 5'-GTGATCCGGCATATAGCTGAGA-3' (SEQ ID NO:1) and 5'-TGGTCGCTGATCAGGATGGAA-3' (SEQ ID NO:2).
12. A molecule according to claim 11 wherein said molecule comprises a polymerase chain reaction primer.)
13. A composite molecule, comprising:
- a molecule according to claim 8;
 - genetic material from said sample; and
 - a polynucleotide chain created as a result of a polymerase chain reaction process.
14. A composite molecule according to claim 13, wherein said genetic material comprises genetic material indicative of the gender of the animal from which said sample was obtained.
15. A composite molecule according to claim 13 or 14 wherein said genetic material

indicative of the gender of the animal from which said sample was obtained comprises bovine genetic material.

- 5
16. A composite molecule according to claim 15 wherein said genetic material indicative of the gender of the animal from which said sample was obtained comprises bovine Y chromosome.
17. A composite molecule according to claim 13 or 14 wherein said genetic material comprises at least a portion of the bovine TSPY gene.
18. Meat determined as being from an animal of a particular sex through the use of a molecule according to claim 1.
- 10 19. Meat determined as being from an animal of a particular sex through the use of a molecule according to claim 8.
20. Meat determined as being from an animal of a particular sex through the use of a molecule according to claim 10.
- 15 21. Meat determined as being from an animal of a particular sex through the use of a molecule according to claim 11.
22. A meat gender identification kit comprising a molecule according claim 1.
23. A molecular fragment comprising from 8 to 20 oligonucleotides of a sequence selected from the group comprising the sequences 5'-
GTGATCCGGCATATAGCTGAGA-3' (SEQ ID NO:1) and 5'-
20 TGGTCGCTGATCAGGATGGAA-3' (SEQ ID NO:2).
24. A composition comprising a primer pair as used for amplifying DNA of the bovine TSPY gene by polymerase chain reaction wherein the primer pair comprises of 5'-

TGGTCGCTGATCAGGATGGAA-3' (SEQ ID No. 2).

25. A composition comprising a primer pair as used for amplifying DNA of the bovine TSPY gene by polymerase chain reaction as described in claim 56a wherein said bovine TSPY gene comprises Bos taurus TSPY gene.
- 5 26. A kit useful for detecting the presence of a portion of DNA sequence from Y chromosome, comprising:
- a. a first container containing first oligonucleotide primer, 5'-GTGATCCGGCATATAGCTGAGA-3' (SEQ ID No.1), wherein said first oligonucleotide primer binds to a specific Y chromosome sequence.
 - 10 b. at least a second container containing a reagent useful in performance of a Polymerase chain reaction amplification or detection.
27. A kit useful for detecting the presence of a portion of DNA sequence from Y chromosome, comprising:
- a. a first container containing a second oligonucleotide primer, 5'-TGGTCGCTGATCAGGATGGAA-3' (SEQ ID No.2), wherein said second oligonucleotide primer binds to a specific Y chromosome sequence.
 - 15 b. at least a second container containing a reagent useful in performance of a Polymerase chain reaction amplification or detection.
28. A kit useful for detecting the presence of a portion of DNA sequence from Y chromosome as described in claim 26 or 27 wherein said first container contains both said first oligonucleotide primer (SEQ ID No.1) and said second oligonucleotide primer (SEQ ID No.2) wherein said first oligonucleotide primer (SEQ ID No.1) and said second oligonucleotide primer (SEQ ID No.2) each bind to a specific Y chromosome sequence.
- 20 29. A kit useful for detecting the presence of a portion of DNA sequence from Y

chromosome as described in claim 26 wherein said at least second container contains a DNA polymerase enzyme.

30. A kit useful for detecting the presence of a portion of DNA sequence from Y chromosome as described in claim 26 further comprises a third container containing a reagent for detecting said specific Y chromosome sequence after it has been amplified.
31. A method of detecting a specific Y chromosome sequence by Polymerase chain reaction, comprising the step of amplifying the specific Y chromosome sequence with a primer pair comprising of 5'-GTGATCCGGCATATAGCTGAGA - 3' (SEQ ID No.1) and 5'-TGGTCGCTGATCAGGATGGAA- 3' (SEQ ID No. 2).
32. A method of detecting a specific Y chromosome sequence by Polymerase chain reaction as described in claim 31 wherein said step of amplifying the specific Y chromosome sequence with a primer pair comprising of 5'-GTGATCCGGCATATAGCTGAGA - 3' (SEQ ID No.1) and 5'-TGGTCGCTGATCAGGATGGAA- 3' (SEQ ID No. 2) comprises the step of amplifying the specific bovine Y chromosome sequence with a primer pair comprising of 5'-GTGATCCGGCATATAGCTGAGA - 3' (SEQ ID No.1) and 5' - TGGTCGCTGATCAGGATGGAA- 3' (SEQ ID No. 2).
33. A method of identifying the gender of a sample comprising the step of amplifying a genetic sequence with a primer comprising 5'-GTGATCCGGCATATAGCTGAGA - 3' (SEQ ID No.1).
34. A method of identifying the gender of a sample as described in claim 33 further comprising the step of amplifying said genetic sequence with a primer comprising 5' - TGGTCGCTGATCAGGATGGAA- 3' (SEQ ID No. 2).
35. A method of identifying the gender of a sample as described in claim 33 or 34 further comprising the step of amplifying the a genetic sequence with a primer pair comprising 5'-GTGATCCGGCATATAGCTGAGA - 3' (SEQ ID No.1) and 5' -

TGGTCGCTGATCAGGATGGAA- 3' (SEQ ID No. 2).

36. A method of amplifying a specific Y chromosome sequence by polymerase chain reaction, comprising the steps of:
- a. establishing a specific Y chromosome sequence in a solution;
 - 5 b. providing a primer pair comprising 5'-GTGATCCGGCATATAGCTGAGA - 3' (SEQ ID No.1) and 5' -TGGTCGCTGATCAGGATGGAA- 3' (SEQ ID No. 2) in said solution;
 - c. denaturing said specific Y chromosome sequence;
 - 10 d. annealing each of said primer pair to a specific region on said specific Y chromosome sequence; and
 - e. extending each of said primer pair on said specific Y chromosome sequence using said specific Y chromosome sequence as a template to amplify a portion of said Y chromosome sequence.
37. A method of amplifying a specific Y chromosome sequence by Polymerase chain reaction as described in claim 36, further comprising the steps of repeating the steps of c, d, and e.
- 15 38. A method of identifying the gender of a sample by Polymerase chain reaction, comprising the steps of:
- a. establishing a DNA material from a sample in a solution;
 - 20 b. providing a primer pair comprising 5'-GTGATCCGGCATATAGCTGAGA - 3' (SEQ ID No.1) and 5' -TGGTCGCTGATCAGGATGGAA- 3' (SEQ ID No. 2) in said solution;
 - c. denaturing said DNA material to produce two single stranded DNA sequences;
 - 25 d. annealing each of said primer pair to a specific region on each of said single stranded DNA sequences which sequences are complementary to each of said primer sequences;

- e. extending each of said primer pair on each of said single stranded DNA sequences using each of said single stranded DNA sequences as templates to amplify a specific region of each of said single stranded DNA sequences;
- f. repeating steps of c, d, and e; and
- 5 g. detecting the presence of said specific regions from said DNA material wherein said specific regions have been amplified following said steps of c, d, and e and wherein the presence of said specific regions from said DNA material is indicative of male genomic material in said DNA material.

1/1




Fig. 1




Fig. 2

SEQUENCE LISTING**(1) GENERAL INFORMATION:**

(i) APPLICANT: XY, INC.

(ii) TITLE OF INVENTION: SPECIFIC OLIGONUCLEOTIDE PRIMERS FOR
DETECTION
OF BOVINE MALE CHROMOSOME PRESENCE BY POLYMERASE CHAIN REACTION
AND METHOD

(iii) NUMBER OF SEQUENCES: 2

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: SANTANGELO LAW OFFICES PC
(B) STREET: 125 SOUTH HOWES, THRID FLOOR
(C) CITY: FORT COLLINS
(D) STATE: CO
(E) COUNTRY: USA
(F) ZIP: 80521

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS

(vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER:
(B) FILING DATE: 03-FEB-99
(C) CLASSIFICATION:

(viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: SANTANGELO, LUKE
(B) REGISTRATION NUMBER: 31,997

(ix) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: (970) 224-3100

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 22 base pairs

- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (PRIMER)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

GTGATCCGGC ATATADCTGA GA

22

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (PRIMER)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

TGGTCGCTGA TCAGGATGGA A

21

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/02387

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : C07H 21/04; C12P 19/34; C12Q 1/68

US CL : 536/22.1, 24.3; 435/91.2, 6

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 536/22.1, 24.3; 435/91.2, 6

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
none

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS, MEDLINE, BIOSIS, CAPLUS

search terms: detection, identification, gender, sex, Y chromosome, polymerase chain reaction, primer pairs

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,055,393 A (KWOH et al.) 08 October 1991, Abstract.	1-38
A	US 5,437,987 A (TENG et al.) 01 August 1995, column 7, lines 49-53.	1-38
A,E	US 5,876,942 A (CHENG et al.) 02 March 1999, Abstract.	1-38

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
B earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

27 APRIL 1999

Date of mailing of the international search report

14 MAY 1999

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

JOYCE TUNG

Telephone No. (703) 308-0196

JOYCE BRIDGERS
PARALEGAL SPECIALIST
CHEMICAL MATRIX